

# IN SITU HIGH PRESSURE POWDER DIFFRACTION STUDY OF PROTON CONDUCTORS BASED ON METAL PHOSPHONATES

M. Bazaga-García,<sup>1</sup> R. M. P. Colodrero,<sup>2</sup> P. Olivera-Pastor,<sup>1</sup> E. R. Losilla,<sup>1</sup> I. R. Salcedo,<sup>1</sup> P. A. Wright,<sup>3</sup> M. A. G. Aranda,<sup>1,4</sup> and A. Cabeza<sup>1</sup>

<sup>1</sup>Dpto Química Inorgánica, Campus de Teatinos s/n, Universidad de Málaga, 29071 Málaga, SPAIN

<sup>2</sup>Dpto. de Química Inorgánica, Universidad de Sevilla, 41071, Sevilla, SPAIN


<sup>3</sup>School of Chemistry, University of St Andrews, Purdie Building, North Haugh, St Andrews, Fife, KY16 9ST U.K.

<sup>4</sup>CELLS-ALBA Synchrotron Radiation Facility, Ctra. BP1413 km 3.3, 08290 Cerdanyola del Vallès, Barcelona, SPAIN

Email: [m.bazaga@uma.es](mailto:m.bazaga@uma.es)

Soft Porous Metal Organic frameworks (MOFs) are referred to as a class of coordination polymers that exhibit structural flexibility in response to guest interactions or physical stimuli [1]. By combining softness and regularity, the responsive crystalline frameworks show, for instance, unique mechanisms of separation and storage of gases.

Here we report the effects of high pressures of CO<sub>2</sub> on the frameworks of two types of coordination polymers based on multifunctional metal phosphonates, which exhibit proton conductivity at high relative humidity in addition to porous properties. The first one, Ni<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub>(O<sub>3</sub>PCH<sub>2</sub>N(C<sub>4</sub>H<sub>8</sub>)NCH<sub>2</sub>PO<sub>3</sub>)·8H<sub>2</sub>O (Ni-STA-12) is a well-known MOF material structural featured by 1D channels build from MO<sub>5</sub>N octahedra linked by the piperazinyl moieties [2]. The second solid, Mg[(HO<sub>3</sub>PCH<sub>2</sub>)<sub>2</sub>NHCH<sub>2</sub>C<sub>6</sub>H<sub>4</sub>CH<sub>2</sub>NH-(CH<sub>2</sub>PO<sub>3</sub>H)<sub>2</sub>]<sub>2</sub>·2H<sub>2</sub>O, (MgHDTMP·2H<sub>2</sub>O), is a pillared layer metal phosphonate containing flexible alkyldiaminetetraphosphonate as linker of the inorganic layers. For both solids, *in situ* synchrotron powder diffraction data were collected on BL04-MSPD under different pressures of CO<sub>2</sub> (up to ~10 bar) and temperatures at ALBA (Barcelona, Spain). The resulting structural changes observed on their frameworks as well as their proton conductivities will be discussed.



**Figure 1.** X-ray diffraction patterns of MgHDTMP at different CO<sub>2</sub> pressures. The inset shows the evolution of the peaks upon CO<sub>2</sub> adsorption/desorption. (\*desorption).

## References

- [1] S. Horike, S. Shimomura, S. Kitagawa, *Nature Chemistry* **2009**, *1*, 695-704.
- [2] S.R. Miller, G.M. Pearce, P.A. Wright, F. Bonino, S. Chavan, S. Bordiga, I. Margiolaki, N. Guillou, G. Férey, S. Bourrelly and P.L. Llewellyn, *J. Am. Chem. Soc.* **2008**, *130*, 15967–15981.